

# Medical Documentation Form for Attention Deficit/Hyperactivity Disorder (ADHD)

Diagnostic Criteria for Attention Deficit Hyperactivity Disorder Diagnostic and Statistical Manual of Mental Disorders Fifth Edition (DSM-V)

Name: _

DOB:

**Directions**: Please indicate the ADHD diagnostic criteria by checking all symptoms identified by your evaluation of this child.

# A. Either (1) or (2) or (both):

### (1) Inattention

\_\_\_\_\_ Six or more symptoms of inattention for children up to age 16, or five or more for adolescents 17 and older and adults; symptoms of inattention have been present for at least 6 months, and they are inappropriate for developmental level:

- often fails to give close attention to details or makes careless mistakes in schoolwork, at work, or other activities
- often has difficulty holding attention on tasks or play activities
- often does not seem to listen when spoken to directly
- often does not follow through on instructions and fails to finish schoolwork, chores, or duties in the workplace (e.g. losesfocus, side-tracked)
- often has difficulty organizing tasks and activities
- often avoids, dislikes, or is reluctant to do tasks that require mental effort over a long period of time (such as schoolwork orhomework)
- often loses things necessary for tasks and activities (e.g. school materials, pencils, books, tools, wallets, keys, paperwork, eyeglasses, mobile telephones)
- is often easily distracted
- is often forgetful in daily activities

#### (2) Hyperactivity-Impulsivity

\_\_\_\_Six or more symptoms of hyperactivity-impulsivity for children up to age 16, or five or more for adolescents 17 and older and adults; symptoms of hyperactivity-impulsivity have been present for at least 6 months to an extent that is disruptive and

inappropriate for the person's developmental level:

- often fidgets with or taps hands or feet, or squirms in seat
- $\hfill\square$  often leaves seat in situations when remaining seated is expected
- often runs about or climbs in situations where it is not appropriate (adolescents or adults may be limited to feeling restless)

	often unable to play or take part in leisure activities quietly
	is often 'on the go' acting as if 'driven by a motor'
	often talks excessively
	often blurts out an answer before a question has been completed
	often has trouble waiting his/her turn
	often interrupts or intrudes on others (e.g. butts into conversations or games)
In addition, the following conditions must be met. Please indicate with a mark if statement is true:	
Several inattentive or hyperactive-impulsive symptoms were present before age 12 years.	
	everal symptoms are present in two or more settings (e.g. at home, school, or work; with friends or elatives; in otheractivities).
Т	here is clear evidence that the symptoms interfere with, or reduce the quality of, social, school, or work functioning.
S	he symptoms do not happen only during the course of schizophrenia or another psychotic disorder. The ymptoms are notbetter explained by another mental disorder (e.g. Mood Disorder, Anxiety Disorder, Dissociative isorder, or a Personality Disorder).
Based on the types of symptoms, three kinds (presentations) of ADHD can occur: (Check one if diagnosing)	
	<i>Predominantly Inattentive Presentation</i> : If enough symptoms of inattention, but not hyperactivity-impulsivity, were presentfor the past 6 months.
	<i>Predominantly Hyperactive-Impulsive Presentation:</i> If enough symptoms of hyperactivity-impulsivity, but not inattention, were present for the past 6 months.
	Combined Presentation: If enough symptoms of both criteria inattention and hyperactivity-impulsivity were present for the past 6 months.
Because symptoms can change over time, the presentation may change over time as well.	
Comments:	
Signature of Diagnostician (required)Date:Da	
(Print name)	
<b>Please note:</b> In Minnesota, for a medical diagnosis to be considered in a special education evaluation, signature by a licensed physician (M.D. or D.O.), Skilled Nurse, or Licensed Psychologist is required as verification of an ADHD diagnosis.	

# **MEDICATIONS:**